



collection

PAZ®

Ateliers Zelij | Créateurs de surfaces

INDEX

-Story of the Collection
-Steps to customize
-Paz Models

- CASTEL
- SCARPA
- MIMESIS

-Color Chart
-Specification sheet
-Packing
-Installation and Uses
-Contact

Previous page

Scarpa Rosso Verona / Bloma_ad Aix en Provence - Photo : Yvan Moreau

THE STORY OF THE COLLECTION

Born from a bespoke project for Aesop, the Paz collection marks a singular chapter in the history of Ateliers Zelij. Inspired by the iconic terrazzo floor designed by Carlo Scarpa for the Olivetti Showroom in Venice, the project challenged us to reinterpret a celebrated architectural motif through our own material language.

As this composition could not be faithfully translated into zellige, we explored a new territory: stone. Developed in partnership with a specialized workshop in Portugal, Paz employs fragments of marble and terrazzo assembled on mesh with generous joints, echoing both the spirit of traditional mosaic and the graphic precision of the original design.

What began as a custom development soon evolved into a collection in its own right. Drawing from some of our most emblematic zellige patterns, Paz transposes the Ateliers Zelij aesthetic into stone while preserving the principles that define our work: craftsmanship, material expression, and architectural relevance. Produced using locally sourced stones as well as reclaimed stone and terrazzo offcuts, the collection reflects our commitment to giving new value to existing materials through thoughtful design.



STEPS TO CUSTOMIZE WITH OUR DESIGN STUDIO

At Ateliers Zelij, we craft exclusive, design-led pieces tailored to each project, transforming concepts into exceptional spaces.

With PAZ Collection, each model can be customized in different ways to create a unique pattern that reflects the identity and vision of your project.

- Explore our collections,
- Select your favorite pattern/scheme,
- Choose color(s) from our color chart.

Reach out and tell us more about your project, your inspirations and all details that will help us to assist you.


Then we'll provide a fully customized service, offering tailored and unique recommendations.




CASTEL

Castel celebrates the graphic potential of stone mosaic through a vocabulary of modular patterns. Inspired by the precision of traditional craftsmanship, it offers a versatile design system capable of shaping both subtle surfaces and bold architectural statements.

Scheme




Castel
1.5 x 1.5 cm




Castel offset
1.5 x 1.5 cm


Colorway




Lines



Column



Chess



Equis

Examples



Castel
Estremoz
Off-set



Castel
Estremoz-Vert India

Previous page

- 1- Castel / Lines / Estremoz + Nero marquina
- 2- Castel / Chess + Unicolor / Estremoz + Vert India
- 3- Castel / Lines / Estremoz + Nero marquina

CASTEL

Castel 28 x 28 x 0.9 cm

Dim. tesserae: from 1,5 x 1,5 cm to 9,6 x 9,6 cm

Process: Honed + Broken + Tumbled + Pre-sealed

Thin grout 2 mm

Preassembled on flexible net

Loose option : no

Delivery time : 8 weeks

Minimum order : 10 sqm



CONTACT US TO
CUSTOMIZE



SCARPA


Inspired by the iconic terrazzo floor designed by Carlo Scarpa for the Olivetti Showroom in Venice, Scarpa explores the expressive power of stone through rhythm, proportion and material contrast. Its compositions reinterpret a modern architectural classic while embracing the handcrafted character that defines Ateliers Zelij.

Scheme



Scarpa

Colorway



Unicolor

Examples



Scarpa
35 x 35 mm
grout 5mm
Estremoz



Scarpa Rosso
35 x 35 mm
grout 5 mm
Rosso Verona



Scarpa
3,5 x 4,8 cm
grout 15 mm
Carrara

SCARPA

Collection: Paz
Date of creation: 2017
Designer: Samir Mazer

Scarpa 28 x 28 x 0.9 cm

Dim tesserae: from 3,5 x 3,5 cm to 4,8 x 9,6 cm
Process: Honed + Broken + Tumbled + Pre-sealed

Large grout : from 5 to 20 mm
Off-set preassembled on flexible net
Loose option : no

Delivery time : 8 weeks
Minimum order : from 10 sqm



[Previous page](#)

- 1- Scarpa / Estremoz / Aesop Toulouse
- 2- Scarpa / Estremoz
- 3- Scarpa / Estremoz / Studio Arpa Montreuil

**CONTACT US TO
CUSTOMIZE**



MIMESIS

Conceived as a bridge between stone and zellige, this series transposes some of the most emblematic Ateliers Zelij patterns into a new material vocabulary. Combining the graphic precision of mosaic with the tactile richness of natural stone, it extends our design language beyond its traditional medium while preserving its distinctive identity.

Scheme

Non exhaustive list

Examples



Triangle
Petit Granit
Carrara
Grid



Kyn
Estremoz-Gascogne
Beige
Vert India
Petit Granit
Grid



Caid
Estremoz-Gascogne
Beige
Riuvinha
Petit Granit
Grid

[Previous page](#)

- 1- Caid / Estremoz-Gascogne Beige-Petit granit-Riuvinha / Hava Castro Paris
- 2- Squar / Sintra-Estremoz / Laura Gonzalez Hotel Monti Rome
- 3- Vichy / Verdana light-Vert India - Estremoz / GCG Architecte Paris

MIMESIS

We have no limit to reproduce traditional Moroccan patterns.

Most of all, we love to make a twist by using monochrome to highlight both; infinite shades of our zellige tiles and the beauty of this art.

Preassembled rigid panel with Sika epoxy glue

Flexible option on net : no

Loose tile option : no


Delivery time : 8-10 weeks

Minimum order : 2 sqm




**CONTACT US TO
CUSTOMIZE**

COLOR CHART



Estremoz



TRZO-19



TRO-13



TRZO-12




Corail




Sintra



Sahara Gold




TRZO-16




TRZO-04




TRZO-06




Rosso Verona




Nero Marquina



Vert India



TRZO-05



TRZO-07



TRZO-14

Non exhaustive list

Non exhaustive list

SPECIFICATION SHEET

Project type: Commercial & Residential
 Destination : Floor & Wall, general surfaces
 Outdoor use: Under restriction, contact us

Description : Stone mosaics

Fire Stone, marble & terazzos are non-combustible materials and does not contribute to the spread of fire.
 resistance : Equivalent to Euroclass A1 (EN 13501-1) and ISO 1182 standards - non-flammable, no smoke emission, no dripping.

Technical Characteristics (indicative values)

We produce custom mosaic.
 Technical sheet cannot be generic, depending of different characteristics.
 On demand, we will provide a special technical datasheet

PACKING

Paz Collection		Dimension			Layout options			Weight and quantity				
Model Name	Scheme	Size cms	Size inches	Thickness	Pre-assembled rigid panel	Flexible	Vrac	Units/box	Kilos/box	Pounds/box	M²/box	Sqft/box
Scarpa	Scarpa	29 x 29	11,41x11,41	9 mms/0,35"	n/a	x	n/a	10	14	30,8	0,87	9,36
	Scarpa off-set											
Castel	Castel	29 x 29	11,41x11,41	9 mms/0,35"	n/a	x	n/a	10	16	35,2	0,82	8,82
	Castel off-set											
Mimesis	Triangle	bespoke										
	Squar											
	Kyn											
	Caïd											

n/a = not applicable

INSTALLATION AND USE

Surface Preparation

Ensure that all supports are healthy and clean, free of irregularities. For wet rooms (shower, basin...), waterproof the surface before tiling.

Installation

To ensure that the mosaics are correctly laid, we recommend the use of white Flex Adhesive, a high-performance cement-based adhesive which is specially designed for laying terracotta mosaics, stone mosaics, glass mosaics and porcelain tiles. Use the smooth side of a notched trowel to spread the adhesive evenly over the wall and then "comb" it with the notched side (minimum notch size 3mm). To lay the mosaic sheets, press them down evenly with a rubber trowel and make sure that the distance between each sheet is the same as the joint between the mosaic chips to ensure a uniform appearance and joints of the same width

Grouting

We recommend the use of Colorstuk Rapid, a fast setting grouting mortar available in different colours, with an excellent mechanical resistance, low water absorption and anti-fungal qualities. Colors. Application: Spread the grouting material using a rubber trowel, filling in the joints completely. Use the same trowel to remove any excess material.

Cleaning

Before the grouting material sets, any remains must be removed with a sponge or cloth. The grouting material must not be allowed to dry too much before doing this or it will hinder the cleaning of the mosaics.

The use of detergents and abrasives such as cleaning powders may cause irreparable damage to the sections. Our mosaic are pre-sealed. After installation, we recommend to seal with Fila W68 or equivalent.



Professionnals:
bonjour@zelij.com

Private & general enquiries:
contact@zelij.com

+33 (0)562 481 809

[@ateliers.zelij](https://www.ateliers.zelij.com)

www.zelij.com

All right reserved © 2026

Ateliers Zelij | Créateurs de surfaces